

Agri-Fab® lawn products are designed for homeowners who want a beautiful lawn, yet want the job of lawn care to be quick and easy. Agri-Fab's quality and time-saving products will ensure you get the most out of your Garden Tractor, making lawn care easy, year after year.



SMARTLINK™ SYSTEM

The Agri-Fab SmartLINK™ system is an incredibly innovative system, which allows different tools to be fitted to one main attachment, ideal for fitting on lawn and garden tractors and other ride-on mowers. All of the SmartLINK™ tools are fitted to the master-platform (45-04731 SmartLINK™ Base) via a simple locking-mechanism - no tools required.

The 41" tractor-towed spike-type aerator (45-04582) achieves thorough soil-penetration and covers a substantial area efficiently.

The Core Aerator (45-0474) penetrates far more deeply than a surface-aerator, ensuring water, air and nutrients reach the whole root system. The 20 aeration knives are rust-proof for longevity.

When moss and thatch build-up on the surface of the lawn, the supply of nutrients and water is cut off, leaving the grass discoloured and unhealthy. The Tine Dethatcher (45-0457) will loosen and lift the offending growth, allowing the turf to breathe again.

SMARTLINK



45-04731 SmartLINK™ Base Only

Master platform necessary for all attachments
Switch from one lawn implement to another in seconds without tools
Durable heavy gauge steel deck and welded drawbar

SMARTLINK



45-04582 41" Aerator Blade

Ten galvanized blades for rustproof durability
Ideal for use in lightly compacted soil

SMARTLINK



45-0474 53" Core Aerator

Attaches to the SmartLINK™ Master Platform in seconds without tools
Aerator features 6 rustproof aerator plugs that penetrate deep
Durable heavy gauge steel deck

SMARTLINK



45-0457 42" Dethatcher

Attaches to the SmartLINK™ Master Platform in seconds without tools
Effectively removes thatch build up for a healthier lawn
20 heat-treated spring tines for durability

WHY USE AN AERATOR?

Aeration is the process of inserting holes in the ground which opens up the soil surface to let grass roots get the air and moisture it needs for healthy growth. When undertaken regularly, this process will leave you with an enviably lush and green-looking lawn.



45-02992 Plug Aerator

48" / 122 cm working width
10" / 25 cm x 4" / 10 cm solid wheels
Up to 3" / 8 cm aeration depth
Heavy duty steel construction and weight tray
Single lever transport handle



45-0544

40" weight tray holds 100 lbs for excellent soil penetration
10 galvanized steel spike disks for thorough aeration
Folding hitch for easy storage
12 gauge steel is extremely durable



45-02941 Spring Tine Dethatcher

40" / 102 cm working width
20 heat treated/spring loaded tines
7" / 18 cm x 1.5" / 4 cm semi-pneumatic wheels
Single lever transport handle
Heavy duty tray and steel construction



45-02951 Spring Tine Dethatcher

48" / 122 cm working width
24 heat treated/spring loaded tines
7" / 18 cm x 1.5" / 4 cm semi-pneumatic wheels
Single lever transport handle
Heavy duty tray and steel construction

WHY USE A SPREADER?

Using a spreader allows you to have the most accurate and even distribution of seeds and fertilizers, getting the job done more efficiently and quickly. Agri-Fab has a variety of tow and push spreaders with a large range of capacities. Most models include pneumatic tyres for easy manoeuvrability on any surface.

NEW



45-0545

Rustproof poly hopper increases product life
42" working width
You can aerate and seed in one pass with this combined design
10 galvanized steel spike disks for thorough aeration
10" flat free tyres



45-04091 Push Spreader

50 lbs / 23 kg hopper capacity for smaller jobs
Up to 8 ft broadcast coverage lets you get the job done in fewer passes
Durable poly wheels



45-0526 Push Spreader

110 lbs / 50 kg Broadcast Push Spreader
Poly Hopper and spreader plate are rust proof
17,500 sq ft coverage
Soft grip handles for comfortable movement
Large pneumatic tyres for easy manoeuvrability
Spreader setting recommendations for multiple materials included



45-04622 Push Broadcast Spreader

125 lbs / 56 kg hopper capacity
Professional style, easy set controls for precise application
Enclosed commercial grade gear box for smooth rolling and easy maintenance
25,000 sq ft coverage; roughly 1/2 acre
Large pneumatic tyres for easy manoeuvrability



45-05021 Push Salt Spreader

130 lbs / 59 kg hopper capacity
The provided grate improves material flow
Enclosed commercial grade gear box for smooth rolling and easy maintenance
Hopper cover included helping keep material dry
The cover and deflector keep material dry and narrows the spread pattern



45-0530 Tow Spreader

85 lbs / 39 kg hopper capacity
Up to 14,200 sq. ft. coverage; roughly 3/10 acre
On/off control accessible from tractor
Up to 10 ft spread width for reliable coverage
Pneumatic tyres allow for smooth transport and easy manoeuvrability



45-0531 85 lb Push Deluxe

85 lbs / 39 kg capacity provides 14,000 sq.ft. coverage
Poly hopper and spreader plate are rust proof
Easy to reach flow control lever
8' / 244 cm to 10' / 304 cm spread width
10" / 25 cm x 4" / 10 cm pneumatic tyres
Spreader setting for multiple materials

NEW



45-0532 85lb Pro Push Spreader
Tow model
85 lbs / 39 kg capacity provides 14,000 sq.ft. capacity
Poly hopper and spreader plate are rust proof
Up to 10' spread width for reliable coverage
10" Pneumatic tyres allow for smooth transport
Direct rod control opens slide gate with precision
Heavy duty On/Off control lever



45-04632 Tow Broadcast Spreader
Tow model
125 lbs / 56 kg hopper capacity
Professional style, easy set controls for precise application
Enclosed commercial grade gear box for smooth rolling and easy maintenance
Large pneumatic tyres for easy manoeuvrability



45-03296 ATV Spreader
175 lbs / 79 kg capacity provides 40,000 sq.ft. coverage
Large poly hopper and spreader plate are rust proof
10' / 304 cm to 12' / 366 cm spread width
15" / 38 cm x 6" / 15 cm pneumatic turf tyres with ball bearings
Spreader settings for multiple materials



45-0527 Tow Spreader
110lbs / 50 kg Broadcast Tow Spreader
Smooth powder coated frame
Poly Hopper and spreader plate are rust proof
17,500 sq ft coverage
Large pneumatic tyres for easy manoeuvrability
Spreader setting recommendations for multiple materials included



45-02884 Tow Drop Spreader
175 lbs / 79 kg Drop Spreader
Can cover up to 40,000 sq. ft – roughly 1 acre
Ideal for seeding and the application of granular herbicides
Hopper is made from rust-resistant poly for a longer working-life
Galvanised steel agitator for even more durability
Pneumatic tyres improve manoeuvrability

WHY USE A TRAILER?

All Agri-Fab trailers are built to last and made to efficiently and easily carry the load. They are practical and sturdy with pneumatic tyres for easy manoeuvrability on any surface.

All the trailers are supplied with a universal hitch-pin, compatible with all makes of ride-on mowers and garden tractors.



45-05191 Tow Dump Trailer
800 lbs / 363 kg load capacity
Poly bed is quiet and rust proof
Foot operated lever release dump mechanism
Large turf tyres
1" / 2.5 cm diameter axle
Di-chromate hardware resist rust
Removable tailgate



45-03037 Tow Utility Dump Trailer
350lbs / 159 kg load capacity
32.5" / 82 cm (W) x 49" / 124 cm (L) x 12" / 30 cm (H) bed
Scratch resistant, powder coat paint finish
Reinforced tailgate guides for added strength
Di-chromate hardware resists rust
13" / 33 cm x 4" / 10 cm pneumatic rib tyres
Easy single lever release dump mechanism



45-01015-999 Tow Utility Dump Trailer
750 lbs / 340 kg load capacity
32.5" / 82 cm (W) x 49" / 124 cm (L) x 12" / 30 cm (H) bed
Removable tailgate
Reinforced tailgate guides for added strength
14" / 36 cm x 4" / 10 cm pneumatic rib tyres
Easy single lever release dump mechanism
Smooth black powder coat paint finish

NEW



45-0533 Tow Trailer
Tow model
650 lbs / 295 kg load capacity
Unloads and dumps heavy materials in one easy stepping motion
Durable cart cleans up easily
16" x 4" pneumatic tyres
Quick and easy assembly



45-03483-100 Tow Trailer
300 lbs / 136 kg load capacity
Poly bed is quiet and rust proof
30.5" / 77 cm (W) x 41" / 105 cm (L) x 11" / 28 cm (H) one piece bed
Di-chromate hardware resists rust
5/8" / 1 cm diameter axle
14" / 36 cm x 4" / 10 cm pneumatic rib wheels



45-03453 Push Dump Trailer
350 lbs / 159 kg load capacity
Poly bed is quiet and rust proof
30.5" / 77 cm (W) x 41" / 105 cm (L) x 11" / 28 cm (H) one piece bed
Di-chromate hardware resists rust
5/8" / 1.5 cm diameter axle
14" / 36 cm x 4" / 10 cm pneumatic rib wheels

WHY USE A SPRAYER?

Liquid fertilisers, herbicides and pesticides are convenient and effective for large lawn applications. Agri-Fab sprayers are available in two sizes: 15-gallon or 25-gallon. Both models include a hand wand for targeted spraying around trees and bushes, smooth rolling wheels for easy manoeuvrability and are compatible with ride-on lawn mowers from any manufacturer.



45-02924 Tow Sprayer
12 volt / 7 amp pump with battery connection wires inc.
68 litres / 15 gallon tank capacity
80" / 203 cm spray width using boom
15' / 457 cm coiled hose with spray wand
10" / 25 cm x 4" / 10 cm solid wheels

45-02934 Tow Sprayer
12 volt / 7 amp pump with battery connection wires inc.
114 litres / 25 gallon tank capacity
80" / 203 cm spray width using boom
15' / 457 cm coiled hose with spray wand
14" / 36 cm x 4" / 10 cm pneumatic wheels

WHY USE A SWEEPER?

Using a lawn sweeper to clear away leaves, grass clippings and garden debris is quicker and easier on you and your lawn than using a rake.



45-04921 Tow Smart Sweeper
44" / 112 cm working width
One-Button brush height adjustment
708 litre hopper capacity
Offset hitch
Collapsible for easy storage
Exclusive, patent pending ergonomic dumping mechanism
Collector can be emptied from the driver seat

45-02182 Push Lawn Sweeper
26" / 66 cm working width
Rust proof and easy to clean
Infinite height adjustment
198 litre hopper capacity
4.5 to 1 brush to wheel turn ratio
4 x 10" / 25 cm diameter replaceable brushes
10" / 25 cm x 1.75" / 4 cm semi-pneumatic tyres
Steel tube handle

NEW



45-0546
Versatile, easily and quickly attaches to all tractors
Infinite brush height adjustment
26 Cu. Ft. Bag Capacity
(6) 10" diameter brushes provide more ground contact than other models
Widest working width in the industry

WHY USE A ROLLER?

Tow behind rollers are ideal whether you're looking to bed-in freshly laid turf, level-out mole hills, flatten frost-heaves or pack-down newly sown seed.

The push / tow compact 24" roller is suitable for smaller-scale levelling and sod-packing applications (45-02671).



45-02671 Push / Tow Roller
24" / 60 cm wide with 18" / 46 cm diameter
Poly construction for rustproof durability
Drum capacity 250 lbs (water)
Lightweight when empty, for easy transport and storage
Removable fill plug



45-02681 Tow Roller
36" / 92 cm wide with 18" / 46 cm diameter
400 lbs / 181 kg weight with water
Less than 50 lbs / 23 kg without water for easy storage and transport
Removable fill plug
Poly drum is rust proof

45-02691 Tow Roller
48" / 122 cm wide with 18" / 46 cm diameter
550 lbs / 249 kg weight with water
Less than 60 lbs / 27 kg without water for easy storage and transport
Removable fill plug
Poly drum is rust proof

For more information and to find your local dealer go to www.lawnflite.co.uk

E. P. Barrus Ltd. reserves the right to change specifications without notice.

Division of E. P. Barrus Ltd,
Glen Way, Launton Road, Bicester,
Oxfordshire, OX26 4UR
Tel: 01869 363641 Fax: 0871 429 9206



**The Power
Behind The Bands**

Doc No. 3859